



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



Publication number:

**0 526 729 A2**

12

## EUROPEAN PATENT APPLICATION

21 Application number: 92110828.8

51 Int. Cl.<sup>5</sup>: H04M 1/274

22 Date of filing: 26.06.92

30 Priority: 27.06.91 US 722571

43 Date of publication of application:  
10.02.93 Bulletin 93/06

84 Designated Contracting States:  
DE FR GB IT NL


71 Applicant: **TEXAS INSTRUMENTS  
INCORPORATED**  
13500 North Central Expressway  
Dallas Texas 75265(US)

72 Inventor: **Smith, James O.**  
3013 Esters Court  
Irving, Texas 75062(US)

74 Representative: **Leiser, Gottfried, Dipl.-Ing.**  
**Patentanwälte Prinz, Leiser, Bunke & Partner**  
Manzingerweg 7  
W-8000 München 60(DE)

54 Electronic telephone book.

57 An electronic telephone book comprises a central processing unit (28), interface circuitry (34, 40) for coupling the central processing unit (28) to a telephone line (44) and a display (12) comprising output circuitry to output information and control graphics (36) and input circuitry for generating control signals responsive to user interaction with the control graphics (36).



EP 0 526 729 A2

## TECHNICAL FIELD OF THE INVENTION

This invention relates in general to telecommunications, and more particularly to an electronic telephone book.

## BACKGROUND OF THE INVENTION

Each year, hundreds of millions of telephone books are reprinted for distribution to households and businesses around the world. The telephone books are updated yearly, even though the dynamic portion of the telephone book (that portion which actually changes) is extremely small. Consequently, an enormous amount of energy and natural resources are consumed in order to revise a relatively small amount of information.

Several computer programs now provide auto-dialing features, which allow the user to generate a list of his or her most frequently called numbers. A selected number may be dialed by pressing a button. Autodial features are also found on many phones, wherein each button corresponds to a frequently dialed number.

Autodialing features, while reducing the frequency with which the telephone book is used, does not relieve the necessity for updated information. Hence, auto-dialing phones and computer programs do not diminish the need for updated telephone books on a yearly basis.

Another problem with telephone books is the arrangement of advertisements in the yellow pages. To conserve money, a business operation will normally advertise in only one section. Therefore, a store which sells appliances, video, audio and photographic products will normally advertise in only one section, or will place a advertisement in one section and have a plain listing in the other sections. Consequently, a potential customer searching for a particular good or service may not get a full listing of providers from the yellow pages.

Therefore, a need has arisen for a replacement to the traditional telephone book which reduces the waste involved in yearly updates to the telephone book and which provides more advanced searching capabilities.

## SUMMARY OF THE INVENTION

In accordance with the present invention, an electronic telephone book is provided which eliminates substantial problems associated with the prior art.

The electronic telephone book comprises a central processing unit and telephone interface circuitry for coupling a central processing unit to a telephone line. A display comprises output circuitry to output information and control graphics and in-

put circuitry for generating control signals responsive to user interaction with the control graphics.

The present invention provides significant advantages over the prior art. The electronic telephone book replaces the telephone directory and yellow pages without losing the ability to display graphic advertisements as well as text line listings. The size of the electronic telephone book may be significantly less than that of a medium-sized metropolitan telephone book. Information may be retrieved from the telephone company's central office, thereby eliminating the need to provide updates to telephone books. Searching can be done electronically on a number of fields such as name, category or keywords, thereby providing a more accurate listing of yellow page advertisers.

## BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention, and the advantages thereof, reference is now made to the following descriptions taken in conjunction with the accompanying drawings, in which:

FIGURES 1a-c illustrate top, front and back plan views, respectively, of the electronic telephone book;  
FIGURE 2 illustrates a schematic representation of the preferred embodiment of the electronic circuitry of the electronic telephone book; and  
FIGURES 3a-f illustrate use of the electronic telephone book.

## DETAILED DESCRIPTION OF THE INVENTION

The preferred embodiment of the present invention and its advantages are best understood by referring to FIGURES 1-3 of the drawings, like numerals being used for like and corresponding parts of the various drawings.

FIGURES 1a-c illustrate top, front and back plan views of the exterior of the electronic telephone book 10, respectively. The display 12 is partitioned by the software to provide a viewing area 12a and a control area 12b. The size of the areas may be modified during the operation of the telephone book as needed. Viewing area 12a outputs text and graphics to the user while control area 12b outputs visual "software buttons" 14 which the user may use to interact with the electronic telephone book 10. Typically, the display 12 is an LCD (liquid crystal display), but could also be an LED or a thin-film active cell display, among other technologies. To receive inputs from the user, IR (infrared) or other light detection sensors, acoustical wave glass or a contact membrane may be provided. Hence, physical contact with the display 12 may be detected and the location of the contact

will indicate the desired action.

In FIGURE 1a, several software buttons 14 are shown: Escape, Clear, Page Up, Page Down, Auto Dial, Next, Menu, Select, and cursor control keys. The actual keys displayed during operation of the system will depend upon the application being performed. While a standard keyboard could alternatively be coupled to the electronic telephone book, the software button provide superior flexibility and control, as will be shown in greater detail hereinbelow.

Shown in FIGURE 1b, the electronic telephone book 10 further comprises a floppy disk drive 16 and a CD ROM drive 18. A brightness adjust 20 allows the user to adjust the brightness of the display. In FIGURE 1c, the bottom of the electronic telephone book 10 provides an on/off switch 22, a phone jack 24 and an AC plug 26.

In operation, the electronic dialer 10 is coupled in parallel with a standard telephone to the household or business lines. Alternatively, the phone and the electronic telephone book may be an integral unit. The user operates the electronic telephone book 10 via the software buttons 14 to look up and to dial phone numbers. The drives 16 and 18 may be used to provide programming code for the electronic telephone book 10 or to store information locally within the electronic telephone book 10. For example, floppy drive 16 may contain data regarding the user's most frequently dialed numbers, along with address and personal information. CD ROM drive 18 may contain mass data, such as important phone numbers throughout the United States. Drives 16 and 18, however, are optional to the electronic telephone book 10.

Importantly, the electronic telephone book 10 may communicate with a central office of the telephone company to retrieve information for the user. Thus, the electronic telephone book 10 may retrieve information from the central office, such as phone numbers and advertisements, and may update information stored in the local drives 16 and 18.

FIGURE 2 illustrates a block diagram of the electronic telephone book 10. A CPU 28 is coupled to ROM 30, RAM 32, modem 34, display controller 36 and drive interface 38. Modem 34 is connected to A/D converter 40 which is connected to the phone jack 24 and phone 42. Both the A/D converter 40 and phone 42 are coupled to the phone lines 44. The display controller 36 is coupled to display 12. Drive interface 38 is coupled to drives 16 and 18. An expansion RAM 48 is coupled to the RAM 32. A voice chip 49a is optionally coupled to CPU 28 and to speaker 49b.

In operation, the CPU 28 operates a program stored in ROM 30. Additional program code may be stored in RAM 32, expansion RAM 48 and

drives 16 and 18. The CPU 28 outputs data to the display 12 and receives input commands from the display 12 through display controller 36. Communications with the telephone lines is performed through modem 34 and A/D converter 40.

FIGURES 3a-f illustrate screens which could be used in operation of the electronic phone book. In FIGURE 3a, the main menu is shown. It should be noted that this menu is for exemplary purposes only, and different menus may be provided for different applications. For example, the menu for a implementation of the electronic telephone book 10 used primarily in a business situation would be different than the menu for an electronic telephone book used primarily for home use.

In the embodiment illustrated in FIGURE 3a, the main menu provides four selections: "Friends", "Business", "Yellow Pages" and "Utilities". Instructions are provided at the bottom of viewing area 12a to aid the user. In this case, three software buttons 14 are provided: Up and Down cursor keys 54 and 56, respectively, and a Select button 58. The user may choose one of the categories by using the cursor keys 54 and 56; the chosen category is highlighted. Once the proper category is chosen, the Select button 58 is pressed.

FIGURE 3b illustrates an exemplary display after choosing the "Friends" category. After choosing the "Friends" category, a list of names is provided. The software buttons 14 include alphabetical look-up keys 60 which allow the user to move the display to start at a certain letter, an Autodial key 62, Page Up and Page Down keys 64 and 66, Home and End keys 68 and 70, cursor control keys 72, Menu key 74 and Select key 76. The Page Up and Down 64 and 66 change the display to read the previous or next page of output. The Home key 68 brings the display to the first entry in the list and the End key 70 brings the display to the last entry in the list. Cursor control keys 72 allow the user to highlight a desired name on the page. The Menu key 74 returns control back to the previous menu (i.e., to the main menu) and the Select key 76 enters the highlighted name as the desired selection. In this embodiment, pressing the Select key may provide additional information about the highlighted person, such as address and other information.

The "<Look-Up New Number>" selection allows the user to look up a number not in the displayed list. FIGURE 3c illustrates a screen generated in connection with selecting the <Look-Up New Number> selection. In this instance, the control area 12b provides a keyboard in which data can be entered for retrieving a phone number. As can be seen in FIGURE 3c, the user need not supply all the data.

In FIGURE 3d, a list of the names meeting the

criteria is provided to the user. In order to generate the list, the electronic telephone book 10 sends the information entered by the user to the telephone company's central office which maintains the database of telephone listings. The database is searched for matching entries and equivalents. Thus, in FIGURE 3d, both Dallas and Garland (a Dallas suburb) are searched as well as the names "Timothy", "Tim" and "T.E.". The user may choose from these names using the cursor keys 82 and 84 and the Page Up and Page Down keys 86 and 88. When the Select button 90 is pressed, the highlighted name will be entered into the user's local database of telephone numbers (in this case, the "Friends" database).

FIGURE 3e illustrates a yellow pages directory listing. This listing would be generated through the yellow pages selection on the main menu, in a similar manner to the procedure shown in FIGURE 3c. The user would be able to search the phone listings at the telephone company's central office, by name, or by keyword, as shown in FIGURE 3e. In the example of FIGURE 3e, the keyword "locksmith" was used which generated a listing of vendors in the user's area. The database search could include much greater detail between vendor and their respective products and services than allowed by the yellow pages. For example, using "toaster" as a keyword would generate a list which would include hardware stores, appliance stores and department stores. Some listings are designated by an asterisk (\*) which informs the user that an advertisement is associated with the listing. The advertisement may be viewed by pressing the "ADV" button 92 after highlighting the listing. Alternatively, a desired listing may be automatically dialed by pressing the "Autodial" button 94.

FIGURE 3f illustrates an exemplary utilities menu. The "Update Listings" selection searches the listings in the user's local memory to determine whether the phone numbers are current. In the preferred embodiment, a global search for all listings, a search for selected listings, and a search for a single listing are supported. The "Tone/Pulse" selection allows the autodialing to be performed in either DTMF tones or pulses. Other utilities may also be provided.

In FIGURE 2, an optional voice chip and speaker 49a-b are illustrated. The voice chip would allow the visually impaired to find a desired listing.

Additionally, the flexibility of the electronic telephone book 10 enables it to provide additional services with the evolution of telecommunication technology. For example, with an ISDN network, the display 12 could generate video as well as graphics taking advantage of the broad-band digital capacity of ISDN. Such a feature would allow, for example, a video advertisement to be output to the

user.

The present invention provides significant advantages over the prior art. First, the need for telephone books is eliminated, since the most current listings may always be provided through the telephone company's central office. Second, the invention provides local databases which store the most frequently called numbers and allow autodialing for ease of use. Third, the electronic telephone book is customizable to a variety of applications.

Various important features of the preferred embodiment are summarized below.

An electronic phone book is provided including processing circuitry, telephone interface circuitry for coupling the processing circuitry to a telephone line, and a display comprising output circuitry to output information and control graphics and input circuitry of generating control signals responsive to user interaction with the control graphics. Such processing circuit may include a central processing unit and memory circuit. The processing circuitry may also comprise a mass storage device, wherein the mass storage device may comprise a disk drive.

An electronic phone book is provided comprising processing circuitry, circuitry for displaying telephone directory information to the user coupled to the processing circuitry, circuitry for receiving commands and data from the user, and communication circuitry coupled between the processing circuitry and a telephone line for retrieving telephone directory information via the telephone line responsive to the commands and data.

A method of retrieving telephone directory information using processing circuitry coupled to a telephone line is shown including the steps of receiving information from the user, receiving a command from the user, and communicating via the telephone line to a database responsive to the information and the command to retrieve the telephone directory information. Such method may further comprise the step of maintaining a database of frequently called numbers, and may further include the step of communicating with the database to update the frequently called numbers.

Although the present invention and its advantages have been described in detail, it should be understood that various changes, substitutions and alterations can be made herein without departing from the spirit and scope of the invention as defined by the appended claims.

#### Claims

1. An electronic phone book comprising:
  - processing circuitry;
  - telephone interface circuitry for coupling the

- processing circuitry to a telephone line; and a display comprising output circuitry to output information and control graphics and input circuitry of generating control signals responsive to user interaction with said control graphics. 5
2. The electronic phone book of Claim 1 wherein said output circuitry comprises a liquid crystal display screen. 10
  3. The electronic phone book of Claim 1 wherein said output circuitry comprises a thin film active cell display.
  4. The electronic phone book of any preceding claim, wherein said input circuitry comprises pressure sensitive circuitry for determining the location of user contact with the output display. 15
  5. The electronic phone book of any of claims 1 to 3 wherein said input circuitry comprises light detection circuitry for determining the location of contact with the output display. 20
  6. The electronic phone book of Claim 5 wherein said light detection circuitry comprises infrared light detection circuitry. 25
  7. The electronic phone book of any preceding claim and further comprising voice circuitry coupled to said processing circuitry for providing audio output of information. 30
  8. The electronic phone book of any preceding claim, wherein said telephone interface circuitry comprises a modem. 35
  9. The electronic phone book of any preceding claim, wherein said telephone interface circuitry comprises an analog to digital converter. 40
  10. The electronic phone book of any preceding claim, wherein the telephone interface circuitry comprises: communication circuitry coupled between said processing circuitry and a telephone line for retrieving telephone directory information via the telephone line responsive to commands and data from the user; and the display comprises circuitry for displaying telephone directory information to the user coupled to said processing circuitry; and circuitry for receiving the commands and data 45
  11. The electronic phone book of Claim 10 wherein said displaying circuitry comprises circuitry for displaying text and graphics. 55
  12. The electronic phone book of any preceding claim and further comprising a mass storage device coupled to said processor.
  13. The electronic phone book of any preceding claim wherein said processing circuitry comprises a central processing unit and memory circuitry.
  14. The electronic phone book of any preceding claim, wherein said processing circuitry is operable to maintain a list of frequently called telephone numbers.
  15. A method of retrieving telephone directory information using processing circuitry coupled to a telephone line, comprising the steps of: receiving information from the user; receiving a command from said user; and communicating via the telephone line to a database responsive to said information and said command to retrieve the telephone directory information.
  16. The method of Claim 15 wherein said step of communicating with the database comprises the step of communicating with a database associated with a central office.
  17. The method of Claim 15 or Claim 16 wherein said step of communicating includes the step of receiving telephone numbers from the database.
  18. The method of any of claims 15 to 17 wherein said step of communicating includes the step of receiving advertising information from the database.
  19. The method of Claim 15 to 18 wherein said step of receiving information from the user comprises the step of receiving keyword information relating to goods and services.
  20. The method of any of Claims 15 to 19 wherein said step of receiving information from the user comprises the step of receiving name and address information.
  21. The method of any of Claims 15 to 20 and further comprising the step of maintaining a database of frequently called numbers.




FIG. 1a




FIG. 1b








FIG. 1c










FIG. 3d




FIG. 3e




FIG. 3f

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) Publication number:

**0 526 729 A3**

(12)

**EUROPEAN PATENT APPLICATION**(21) Application number: **92110828.8**(51) Int. Cl.5: **H04M 1/274**(22) Date of filing: **26.06.92**(30) Priority: **27.06.91 US 722571**(43) Date of publication of application:  
**10.02.93 Bulletin 93/06**(84) Designated Contracting States:  
**DE FR GB IT NL**(88) Date of deferred publication of the search report:  
**21.07.93 Bulletin 93/29**


(71) Applicant: **TEXAS INSTRUMENTS  
INCORPORATED**  
**13500 North Central Expressway**  
**Dallas Texas 75265(US)**

(72) Inventor: **Smith, James O.**  
**3013 Esters Court**  
**Irving, Texas 75062(US)**

(74) Representative: **Leiser, Gottfried, Dipl.-Ing.**  
**Prinz & Partner, Manzingerweg 7**  
**W-8000 München 60 (DE)**

(54) **Electronic telephone book.**

(57) An electronic telephone book comprises a central processing unit (28), interface circuitry (34, 40) for coupling the central processing unit (28) to a telephone line (44) and a display (12) comprising output circuitry to output information and control graphics (36) and input circuitry for generating control signals responsive to user interaction with the control graphics (36).

**EP 0 526 729 A3**



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number

EP 92 11 0828

| DOCUMENTS CONSIDERED TO BE RELEVANT  |  |  |  |
|--|--|--|--|
| Category   | Citation of document with indication, where appropriate, of relevant passages  | Relevant to claim  | CLASSIFICATION OF THE APPLICATION (Int. Cl.5)        |
| X  | IEEE INTERNATIONAL CONFERENCE ON COMMUNICATIONS<br>vol. 1, May 1984, AMSTERDAM<br>pages 272 - 275<br>HSING ET AL 'AN INTERACTIVE TOUCH PHONE FOR FUTURE OFFICES'<br>* the whole document *                       | 1,3,4,8,<br>12-14  | H04M1/274  |
| X  | EP-A-0 338 075 (KABUSHIKI KAISHA KOMATSU SEISAKUSHO)<br>* page 6, line 23 - page 25, line 7;<br>figures 1-6 *  | 1,2,5,8,<br>12,13  |  |
| X  | PROCEEDINGS OF THE SOCIETY FOR INFORMATION DISPLAY (SID)<br>vol. 26, no. 1, 1985, NEW YORK<br>pages 79 - 82<br>SCHMANDT ET AL 'PHONE SLAVE : A GRAPHICAL TELECOMMUNICATIONS INTERFACE'<br>* the whole document * | 1,4,12,<br>13  |  |
| X  | WO-A-8 800 371 (NEWEX INC.)<br>* page 6, line 9 - page 17, line 3;<br>figures 1-12 *   | 1,2,8,<br>12,13  | TECHNICAL FIELDS<br>SEARCHED (Int. Cl.5)<br><br>H04M |
| X  | WO-A-8 701 256 (NPD MAJOR NUCLEO DE PESQUISA E DESENVOLVIMENTO)<br>* page 1, line 3 - page 6, line 3; figures 1,2 *  | 15   |  |
| A  |  | 1,8,10,<br>12,13   |  |
| X  | EP-A-0 394 811 (SIEMENS A.G.)<br>* the whole document *  | 15   |  |
| A  |  | 10,11  |  |
| A  | US-A-4 659 876 (SULLIVAN ET AL)<br>* column 2, line 28 - column 7, line 8;<br>figures 1-5 *  | 1,5,7-11   |  |
| The present search report has been drawn up for all claims   |  |  |  |
| Place of search<br>THE HAGUE   |  | Date of completion of the search<br>18 MAY 1993  | Examiner<br>DELANGUE P.C.J.                          |
| CATEGORY OF CITED DOCUMENTS<br>X : particularly relevant if taken alone<br>Y : particularly relevant if combined with another document of the same category<br>A : technological background<br>O : non-written disclosure<br>P : intermediate document |  | T : theory or principle underlying the invention<br>E : earlier patent document, but published on, or after the filing date<br>D : document cited in the application<br>L : document cited for other reasons<br>* : member of the same patent family, corresponding document |  |